


# SPRING LOADED CHISEL PLOUGH



**SMSLC-2-9**



**SMSLC-3-13R**





## GENERAL FEATURES

The strong intensive chisel is suited for both the first, shallow stubble cultivation across the full surface after combine harvesting and for subsequent, deeper passes with intensive mixing, or for seedbed preparation for mulch seeding. The depth control in the mounted strong model is easily accessible, and the working depth can be adjusted finely between 5 and 30 cm without tools.

## TECHNICAL DETAILS

CODE	NUMBER OF LEG	NUMBER OF ROW	CHASSIS DIMENSION (MM)	WORKING WIDTH (CM)	WORKING DEPTH (CM)	REQUIRED POWER (HP)
SMSLC-2-7	7	2	80X80	205	20-40	60-70
SMSLC-2-9	9	2	80X80	265	20-40	70-80
SMSLC-2-11	11	2	80X80	305	20-40	80-90
SMSLC-2-13	13	2	80X80	345	20-40	90-110
SMSLC-2-15	15	2	80X80	395	20-40	110-130

CODE	NUMBER OF LEG	NUMBER OF ROW	CHASSIS DIMENSION (MM)	WORKING WIDTH (CM)	WORKING DEPTH (CM)	REQUIRED POWER (HP)
SMSLC-3-11	11	3	80X80	281	20-40	70-80
SMSLC-3-13	13	3	80X80	337	20-40	80-90
SMSLC-3-16	16	3	80X80	390	20-40	90-100
SMSLC-3-17	17	3	80X80	430	20-40	100-120
SMSLC-3-19	19	3	80X80	481	20-40	120-140



**SOIL MASTER**  
AGRICULTURAL MACHINERY

HEAD OFFICE

Add: Fevzi Cakmak Mh. 10758 Sk. No: 16/G  
42050 Karatay/Konya/TURKEY

T: +90 332 290 00 20  
F: +90 332 290 00 19

FACTORY

Add: Büyükkayacık Osb, Yaylacık Cd. No:  
23, 42250 Selcuklu/Konya/TURKEY

T: +90 332 239 18 85  
T: +90 332 239 18 86  
F: +90 332 239 18 87

[www.soilmaster.com.tr](http://www.soilmaster.com.tr)



+90 (532) 137 01 74



[info@soilmaster.com.tr](mailto:info@soilmaster.com.tr)



SOILMASTER AGRICULTURAL MACHINERY



For detailed information about  
our products, you can scan the  
QR code by your device.